

Model: VENDOME NAT.PV6 120X120(A)

Codes: 100348304

Absorption: Bla - Porcelánico ( $E \leq 0.1\%$ )



## DIMENSIONAL FEATURES

 UNE-EN ISO 10545-2

|                             |             |          |
|-----------------------------|-------------|----------|
| Length                      | 1200 MM     |          |
| Thickness                   | 6 MM        |          |
| Width                       | 1200 MM     |          |
| Length and width deviation  | Below 0.15% | +/-0.3%* |
| Side straightness deviation | Below 0.15% | +/-0.3%* |
| Squareness deviation        | Below 0.15% | +/-0.3%* |
| Surface flatness deviation  | Below 0.15% | +/-0.4%* |

\*ISO-13006:2015 UNE-EN 14411:2017

## MECHANICAL FEATURES

 UNE-EN ISO 10545-4-6-7-11

|                    |                  |  |
|--------------------|------------------|--|
| Breaking strenght  | 1118.5 N         |  |
| Modulus of rupture | 43.6 N/MM2       |  |
| Crack resistance   | RESISTE 3 CICLOS |  |

\*ISO-13006:2015 UNE-EN 14411:2017

## HYGIENIC FEATURES

 UNE-EN ISO 10545-13-14

|                             |                |  |
|-----------------------------|----------------|--|
| Chemical resistance         | MINIMO CLASE B |  |
| Stain resistance            | CLASE 5        |  |
| Resistance to thermal shock | RESISTE        |  |

\*ISO-13006:2015 UNE-EN 14411:2017

## ANTI-SLIP VALUE

CEN/TS 41901/02, DIN-51130 y ASTM A137.1

|                                 |                        |            |
|---------------------------------|------------------------|------------|
| Dynamic coefficient of friction | 0.63 (T - H101)        |            |
| Slip resistance (pendulum-wet)  | CL1                    |            |
| Slip resistance (ramp)          | R<9                    | (5º) H103* |
| Pendulum test value (ptv)       | WET-31 / DRY-55 (H103) |            |
| Slip resistance (pendulum-dry)  | >40**                  |            |

\*ISO-13006:2015 UNE-EN 14411:2017

## PACKING

|                        |                   |  |
|------------------------|-------------------|--|
| Sales units per box    | 2.880184 M2/BOX   |  |
| Sales units per pallet | 80.645161 M2/PAL  |  |
| Sales units per unit   | 1.440092 M2/PIECE |  |

System Certification



Do not use cleaning agents containing hydrofluoric acid.

It is recommended to fix tiles with a minimum joint of 1,5 mm. Do not fix without joint.

For big sizes, it is recommended to fix with mortars containing polymeric additives and to use the double gluing technique.

Mosaic tiles must be grouted.

This document is only commercial and cannot be used as expert opinion, documentary evidence or in any legal or administrative procedure unless authorized by PORCELANOSA S.A.

## SCOPE OF USE

|                  |                                                      |
|------------------|------------------------------------------------------|
| Technical code-1 | 4 - Light Transit with Direct Access to the Outdoors |
| Technical code-2 | 1 - Dry interior floors                              |

## RECOMMENDED USE LOCATIONS

### Single-family dwelling

|                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------|
| Outdoor Premises: Porches, verandah, terrace, outdoor access or circulation area                                         |
| Indoor Premises - Dry: Entrance and other enclosures with direct opening to the outside (garden, terrace, storage room). |
| Indoor Premises - Dry: Individual staircase                                                                              |
| Indoor Premises - Wet: Kitchen, mini kitchen in living area, laundry room                                                |
| Indoor Premises - Humid: Bathroom or Toilet                                                                              |

### Collective housing

|                                                                                        |
|----------------------------------------------------------------------------------------|
| Outdoor premises: Balconies, terraces, galleries (not accessible from the outside)     |
| Indoor Premises - Common Elements: Stairs and corridors with or without lifts          |
| Indoor Premises - Common Elements: Meter centralisation room                           |
| Indoor Premises - Common Elements: Storage rooms for children's cars, bicycles, etc.   |
| Indoor Premises - Dwelling - Damp: Kitchen, mini kitchen and living area, laundry room |
| Indoor Premises - Dwelling - Damp: Bathrooms or shower rooms                           |

### Public Residential

|                                                        |
|--------------------------------------------------------|
| Single or double rooms                                 |
| Group rooms                                            |
| Intensive use dormitories in residences, schools, etc. |

### Administrative

|                                                        |
|--------------------------------------------------------|
| Office with workstation                                |
| Collective office, open plan office                    |
| Meeting/conference room, shops and retail (sales area) |

### Commercial

|                                     |
|-------------------------------------|
| Shops and retail trade (Sales area) |
|-------------------------------------|

### Teacher

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| Pre-school and Primary: Classroom without direct opening to the exterior                                  |
| Infant and Primary: Playroom, exercise, multi-purpose room without direct opening to the outside.         |
| Secondary, Baccalaureate and University: Other laboratories (physics, electricity, radiation, mechanics). |

### Sanitary

|                                                             |
|-------------------------------------------------------------|
| Single-user room, isolation room                            |
| Collective room                                             |
| Major and minor operating theatres. Operating theatres      |
| Radiological premises                                       |
| Rehabilitation, massage, therapy and rehabilitation centres |
| Laboratories (no public access)                             |

### Public attendance

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| Catering: Dining room, company cafeteria                                                         |
| Libraries and reading rooms: Libraries, reading rooms, houses of worship, museums (Internal use) |

### Service, facilities

|                                                              |
|--------------------------------------------------------------|
| Toilets in office areas, restricted use                      |
| Sanitary premises special hygiene (hospitals, food)          |
| Premises for telephone, computer and other dry installations |

### System Certification

